

## Amendment to the Claims

### 1-19. (Cancelled)

**20. (Currently amended)** A method for processing decomposed and recovered polyol, which ~~decomposed polyol is applied to produced in a process for~~ decomposing and recovering a process of polyurethane resin comprising a hydrolyzing process for hydrolyzing the polyurethane resin to obtain a decomposed product ~~containing the decomposed polyol~~, and a recovering process for recovering the decomposed product produced by the hydrolysis,

said method ~~for processing the decomposed polyol comprising adding a urea, in the recovering process, to the decomposed and recovered polyol, wherein the urea inactivates amines contained in the decomposed polyol: and heating at a temperature of 120°C to 220°C, wherein the decomposed and recovered polyol contains 5 weight % or less of amines prior to addition of the urea, and wherein the urea is added in a proportion of 0.4-1.5 equivalents per equivalent of amino group of the amines contained in the decomposed and recovered polyol.~~

### 21. (Cancelled)

**22. (Currently amended)** The method according to Claim 20, wherein the decomposed and recovered polyol containing the amines is a polyoxyalkylene polyol.

### 23. (Cancelled)